

# DIMENSIONS & DATA CERTIFIED FOR:

Representative:

Order:

Customer:

Order:

Project:

Requirements:

By:

Date:

## LIST OF MATERIALS:


NAME OF PART	MATERIAL
CAP & BODY	ASTM A216 WCB
GASKET, BODY	GRAPHITE BONDED
STUD (8)	ASTM A193 GR. B7
NUT (8)	ASTM A194 GR. 2H
SEAT, VALVE	ASTM A582 T303
VALVE	ASTM A582 T440F
RETAINER, VALVE	ASTM A167 T302
PIVOT PIN	ASTM A580 T304
FLOAT	ASTM A167 T304
LEVER ASS'Y	
WT ASS'Y	T304 S.S.
GASKET, WT	18-8 S.S.
NAME PLATE	T304 S.S.
PLUG, DRAIN (3)	CARBON STEEL

## TECHNICAL INFORMATION

MODEL NO.	*ORIENTATION OF BODY (Top) (Left) (Right) CST CSL CSR
CONNECTIONS	1-1/2[DN40] OR 2[DN50]
WEIGHT NPT, BSPT & SW (LBS)	$\frac{1-1/2}{2}$ 100[45 kg] ±4[2 kg]
OPTIONS:	
CONNECTIONS	SOCKET WELD
	NPT
	BSPT
BODY ORIENTATION	CST (Top)
	CSL (Left)
	CSR (Right)

## DESIGN INFORMATION

MAXIMUM ALLOWABLE PRESSURE(VESSEL DESIGN)	600 psi at 650°F [41 bar at 343°C]
---	---------------------------------------



DIMENSIONS ARE IN INCHES[mm]  
Socket Weld Conn.  
ANSI B16.11